

## Specification Matrix

Ashcroft Diaphragm Seals & Pressure Instrument Isolators

● = AVAILABLE



| Process Connection Type            |             |    | Threaded                     | Threaded w/Flushing Connection | Raised Face Flange                    | Raised Face Flange w/Flushing Connection | In-line Threaded            |
|------------------------------------|-------------|----|------------------------------|--------------------------------|---------------------------------------|--|-----------------------------|
| Model No.                          | Code        |    | 100/200/300 <sup>(1)</sup>   | 101/201/301 <sup>(1)</sup>     | 102/202/302 <sup>(1)</sup>            | 103/203/303 <sup>(1)</sup>               | 104/204/304 <sup>(1)</sup>  |
| Process Connection Size (NPT)      | Female Male |    |                              |                                |                                       |  |                             |
|                                    | 1/4         | 25 | 02                           | ●                              | ●                                     |  |                             |
| 1/2                                | 50          | 04 | ●                            | ●                              | ●                                     | ●  | ●                           |
| 3/4                                | 75          | 06 | ●                            | ●                              | ●                                     | ●  | ●                           |
| 1                                  | 10          | 08 | ●                            | ●                              | ●                                     | ●  |                             |
| 1 1/2                              | 15          |    |                              |                                | ●                                     | ●  |                             |
| 2                                  | 20          |    |                              |                                | ●                                     | ●  |                             |
| 3                                  | 30          |    |                              |                                | ●                                     | ●  |                             |
| 4                                  | 40          |    |                              |                                |                                       |  |                             |
| 6                                  | 60          |    |                              |                                |                                       |  |                             |
| 8                                  | 80          |    |                              |                                |                                       |  |                             |
| Diaphragm Materials                |             |    |                              |                                |                                       |  |                             |
| 316L stainless steel               | S           |    | 100 & 200                    | 101 & 201                      | 102 & 202                             | 103 & 203                                | 104 & 204                   |
| 304L stainless steel               | C           |    | 100 & 200                    | 101 & 201                      | 102 & 202                             | 103 & 203                                | 104 & 204                   |
| K-Monel                            | P           |    | 100 & 200                    | 101 & 201                      | 102 & 202                             | 103 & 203                                | 104 & 204                   |
| Nickel                             | N           |    | 100 & 200                    | 101 & 201                      | 102 & 202                             | 103 & 203                                | 104 & 204                   |
| Carpenter 20                       | D           |    | 100 & 200                    | 101 & 201                      | 102 & 202                             | 103 & 203                                | 104 & 204                   |
| Tantalum                           | U           |    | 100 & 200                    | 101 & 201                      | 102 & 202                             | 103 & 203                                | 104 & 204                   |
| Hastelloy B                        | G           |    | 100 & 200                    | 101 & 201                      | 102 & 202                             | 103 & 203                                | 104 & 204                   |
| Hastelloy C 22                     | J           |    | 100 & 200                    | 101 & 201                      | 102 & 202                             | 103 & 203                                | 104 & 204                   |
| Hastelloy C 276                    | H           |    | 100 & 200                    | 101 & 201                      | 102 & 202                             | 103 & 203                                | 104 & 204                   |
| Teflon                             | T           |    | 200 & 300                    | 201 & 301                      | 202                                   | 203                                      | 204 & 304                   |
| Viton                              | Y           |    | 200 & 300                    | 201 & 301                      | 202                                   | 203                                      | 204 & 304                   |
| Kalrez                             | K           |    | 200 & 300                    | 201 & 301                      | 302                                   | 303                                      | 304                         |
| Titanium                           | TI          |    | 200                          | 201                            | 202                                   | 203                                      | 204                         |
| Halar Coated Monel                 | PH          |    | 100                          | 101                            | 102                                   | 103                                      | 104                         |
| Bottom Housing Materials           |             |    |                              |                                |                                       |  |                             |
| Steel                              | B           |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| 304L stainless steel               | CL          |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| 316L stainless steel               | SL          |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| Hastelloy B                        | G           |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| Hastelloy C 22                     | J           |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| Hastelloy C 276                    | H           |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| Carpenter 20                       | D           |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| Monel 400                          | M           |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| Inconel 800                        | W           |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| Nickel                             | N           |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| PVC                                | V           |    | (Socket Weld or 1/4-1/2 NPT) |                                | 1, 1 1/2                              |  |                             |
| Tantalum Clad SS                   | SU          |    |                              |                                | ●                                     |  |                             |
| Halar® Coated SS                   | SH          |    |                              |                                | ●                                     |  |                             |
| Teflon                             | T           |    |                              |                                | 1, 1 1/2, 2                           |  |                             |
| Kynar                              | KY          |    | Only 1/4 or 1/2 NPT          |                                | 1, 1 1/2, 2                           |  |                             |
| Titanium                           | TI          |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| Pressure Ratings                   |             |    |                              |                                |                                       |  |                             |
| 500 psi                            |             |    | Viton or Kalrez diaph. only  | Viton or Kalrez diaph. only    |                                       |  | Viton or Kalrez diaph. only |
| 2500 psi                           |             |    | Metal & Teflon® diaph.       | ●                              |                                       |  | Metal & Teflon® diaph.      |
| 5000 psi                           | HP          |    | 100 & 200 metal              |                                |                                       |  |                             |
| 7500 psi                           |             |    |                              |                                |                                       |  |                             |
| 15000 psi                          | HP          |    |                              |                                |                                       |  |                             |
| Flange Class                       |             |    |                              |                                |                                       |  |                             |
| 150, 300, 600, 900 or 1500         |             |    |                              |                                | Kalrez, Teflon, Viton, Kynar 150 only | Kalrez, Teflon, Viton, Kynar 150 only    |                             |
| Instrument Connection Size         |             |    |                              |                                |                                       |  |                             |
| 1/4                                | 02T         |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| 1/2                                | 04T         |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| Filling Fluid                      |             |    |                              |                                |                                       |  |                             |
| Glycerin                           | CG          |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| Silicone (direct to 10' capillary) | CK          |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| Silicone (over 10' capillary)      | EJ          |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| Halocarbon                         | CF          |    | ●                            | ●                              | ●                                     | ●  | ●                           |
| Syltherm                           | HA          |    | ●                            | ●                              | ●                                     | ●  | ●                           |

<sup>(1)</sup>Type 300 series not available with metallic diaphragms

Refer to page nos. 141/142/143 for style configuration

156/157/158

Consult factory for guidance in product selection  
Phone (203) 385-0217, Fax (203) 385-0602 or  
visit our web site at [www.ashcroft.com](http://www.ashcroft.com)

## Specification Matrix

Ashcroft Diaphragm Seals & Pressure Instrument Isolators

● = AVAILABLE



| Process Connection Type              |      | Saddle                      | In-line Flanged | In-line Socket Weld         | In-line Butt Weld           | Male/Female Threaded Mini (*Flushing Conn.) |      |
|--------------------------------------|------|-----------------------------|-----------------|-----------------------------|-----------------------------|---|------|
| Model No.                            | Code | 105/205                     | 106/206         | 107/207                     | 108                         | 310/315*                                    |      |
| <b>Process Connection Size (NPT)</b> |      |                             |                 |                             |                             |   |      |
|                                      |      | Female                      | Male            |                             |                             | Female                                      | Male |
| 1/4                                  |      | 25                          | 02              |                             |                             | ●   | ●    |
| 1/2                                  |      | 50                          | 04              | ●                           | ●                           | ●   | ●    |
| 3/4                                  |      | 75                          | 06              | ●                           | ●                           |   | ●    |
| 1                                    |      | 10                          | 08              | ●                           | ●                           |   | ●    |
| 1 1/2                                |      | 15                          |                 | ●                           | ●                           |   |      |
| 2                                    |      | 20                          |                 | ●                           | ●                           |   |      |
| 3                                    |      | 30                          | 3"              | ●                           |                             |   |      |
| 4                                    |      | 40                          | 4" and larger   |                             |                             |   |      |
| 6                                    |      | 60                          |                 | ●                           |                             |   |      |
| 8                                    |      | 80                          |                 | ●                           |                             |   |      |
| <b>Diaphragm Materials</b>           |      |                             |                 |                             |                             |   |      |
| 316L stainless steel                 | S    | ●                           | ●               | ●                           | ●                           | ●   |      |
| 304L stainless steel                 | C    | ●                           | ●               | ●                           | ●                           |   |      |
| K-Monel                              | P    | ●                           | ●               | ●                           | ●                           | ●   |      |
| Nickel                               | N    | ●                           | ●               | ●                           | ●                           |   |      |
| Carpenter 20                         | D    | ●                           | ●               | ●                           | ●                           |   |      |
| Tantalum                             | U    | ●                           | ●               | ●                           | ●                           | ●   |      |
| Hastelloy B                          | G    | ●                           | ●               | ●                           | ●                           |   |      |
| Hastelloy C 22                       | J    | ●                           | ●               | ●                           | ●                           |   |      |
| Hastelloy C 276                      | H    | ●                           | ●               | ●                           | ●                           | ●   |      |
| Teflon                               | T    | 205                         | 206             | 207                         | 208                         |   |      |
| Viton                                | Y    | 205                         | 206             | 207                         | 208                         |   |      |
| Kalrez                               | K    | 205                         | 206             | 207                         | 208                         |   |      |
| Titanium                             | TI   | 205                         | 206             | 207                         | 208                         |   |      |
| Halar Coated Monel                   | PH   | 105                         | 106             | 107                         | 108                         |   |      |
| <b>Bottom Housing Materials</b>      |      |                             |                 |                             |                             |   |      |
| Steel                                | B    | ●                           | ●               | ●                           | ●                           |   |      |
| 304L stainless steel                 | CL   | ●                           | ●               | ●                           | ●                           |   |      |
| 316L stainless steel                 | SL   | ●                           | ●               | ●                           | ●                           | ●   |      |
| Hastelloy B                          | G    | ●                           | ●               | ●                           | ●                           |   |      |
| Hastelloy C 22                       | J    | ●                           | ●               | ●                           | ●                           |   |      |
| Hastelloy C 276                      | H    | ●                           | ●               | ●                           | ●                           | ●   |      |
| Carpenter 20                         | D    | ●                           | ●               | ●                           | ●                           |   |      |
| Monel 400                            | M    | ●                           | ●               | ●                           | ●                           | ●   |      |
| Inconel 800                          | W    | ●                           | ●               | ●                           | ●                           |   |      |
| Nickel                               | N    | ●                           | ●               | ●                           | ●                           |   |      |
| PVC                                  | V    |                             |                 |                             |                             |   |      |
| Tantalum Clad SS                     | SU   |                             |                 |                             |                             |   |      |
| Halar® Coated SS                     | SH   |                             |                 |                             |                             |   |      |
| Teflon                               | T    |                             |                 |                             |                             |   |      |
| Kynar                                | KY   |                             |                 |                             |                             |   |      |
| Titanium                             | TI   | ●                           |                 | ●                           | ●                           |   |      |
| <b>Pressure Ratings</b>              |      |                             |                 |                             |                             |   |      |
| 500 psi                              |      | Viton or Kalrez diaph. only |                 | Viton or Kalrez diaph. only | Viton or Kalrez diaph. only |   |      |
| 2500 psi                             |      | Metal & Teflon® diaph.      |                 | Metal & Teflon® diaph.      |                             |   |      |
| 5000 psi                             | HP   |                             |                 |                             |                             |   |      |
| 7500 psi                             |      |                             |                 |                             |                             |   |      |
| 15000 psi                            | HP   |                             |                 |                             |                             |   |      |
| <b>Flange Class</b>                  |      |                             |                 |                             |                             |   |      |
| 150, 300, 600, 900 or 1500           |      |                             | 150 & 300       |                             |                             |   |      |
| <b>Instrument Connection Size</b>    |      |                             |                 |                             |                             |   |      |
| 1/4                                  | 02T  | ●                           | ●               | ●                           | ●                           | ●   |      |
| 1/2                                  | 04T  | ●                           | ●               | ●                           | ●                           | ●   |      |
| <b>Filling Fluid</b>                 |      |                             |                 |                             |                             |   |      |
| Glycerin                             | CG   | ●                           | ●               | ●                           | ●                           | ●   |      |
| Silicone (direct to 10' capillary)   | CK   | ●                           | ●               | ●                           | ●                           | ●   |      |
| Silicone (over 10' capillary)        | EJ   | ●                           | ●               | ●                           | ●                           | ●   |      |
| Halocarbon                           | CF   | ●                           | ●               | ●                           | ●                           | ●   |      |
| Syltherm                             | HA   | ●                           | ●               | ●                           | ●                           | ●   |      |

Refer to page nos. 141/142/143  
for style configuration

156/157/158

144

Consult factory for guidance in product selection  
Phone (203) 385-0217, Fax (203) 385-0602 or  
visit our web site at [www.ashcroft.com](http://www.ashcroft.com)

## Specification Matrix

Ashcroft Diaphragm Seals & Pressure Instrument Isolators

• = AVAILABLE



| Process Connection Type            |        | Female & Male Threaded |        | Female Threaded (w/Flushing Conn.) |      | Quick Connect |         | 1" Male Flush Mini |   | Threaded (*Flushing Conn.) |          |
|------------------------------------|--------|------------------------|--------|------------------------------------|------|---------------|---------|--------------------|---|----------------------------|----------|
| Model No.                          | Code   | 311                    |        | 312                                |      | 320/321       |         | 330                |   | 400/401*                   |          |
| Process Connection Size (NPT)      | Female | Male                   | Female | Male                               |      |               |         |                    |   |                            |          |
| 1/4                                | 25     | 02                     | •      | •                                  | •    | •             |         |                    |   |                            | •        |
| 1/2                                | 50     | 04                     | •      | •                                  | •    | •             |         |                    |   |                            | •        |
| 3/4                                | 75     | 06                     |        | •                                  | •    |               |         |                    |   |                            | •        |
| 1                                  | 10     | 08                     |        | •                                  | •    |               |         | •                  |   |                            | •        |
| 1 1/2                              | 15     |                        |        |                                    |      |               | •       |                    |   |                            |          |
| 2                                  | 20     |                        |        |                                    |      |               | •       |                    |   |                            |          |
| 3                                  | 30     |                        |        |                                    |      |               |         |                    |   |                            |          |
| 4                                  | 40     |                        |        |                                    |      |               |         |                    |   |                            |          |
| 6                                  | 60     |                        |        |                                    |      |               |         |                    |   |                            |          |
| 8                                  | 80     |                        |        |                                    |      |               |         |                    |   |                            |          |
| Diaphragm Materials                |        |                        |        |                                    |      |               |         |                    |   |                            |          |
| 316L stainless steel               | S      |                        | •      |                                    | •    |               | •       |                    | • |                            | •        |
| 304L stainless steel               | C      |                        |        |                                    |      |               |         |                    |   |                            |          |
| K-Monel                            | P      |                        |        |                                    |      |               |         |                    |   |                            | •        |
| Nickel                             | N      |                        |        |                                    |      |               |         |                    |   |                            |          |
| Carpenter 20                       | D      |                        |        |                                    |      |               |         |                    |   |                            |          |
| Tantalum                           | U      |                        | •      |                                    | •    |               |         |                    |   |                            | •        |
| Hastelloy B                        | G      |                        |        |                                    |      |               |         |                    |   |                            | •        |
| Hastelloy C 22                     | J      |                        |        |                                    |      |               |         |                    |   |                            | •        |
| Hastelloy C 276                    | H      |                        | •      |                                    | •    |               |         |                    |   |                            | •        |
| Teflon                             | T      |                        |        |                                    |      |               |         |                    |   |                            |          |
| Viton                              | Y      |                        |        |                                    |      |               |         |                    |   |                            |          |
| Kalrez                             | K      |                        |        |                                    |      |               |         |                    |   |                            |          |
| Titanium                           | TI     |                        |        |                                    |      |               |         |                    |   |                            | •        |
| Halar Coated Monel                 | PH     |                        |        |                                    |      |               |         |                    |   |                            |          |
| Bottom Housing Materials           |        |                        |        |                                    |      |               |         |                    |   |                            |          |
| Steel                              | B      |                        |        |                                    |      |               |         |                    |   |                            |          |
| 304L stainless steel               | CL     |                        |        |                                    |      |               |         |                    |   |                            |          |
| 316L stainless steel               | SL     |                        | •      |                                    | •    |               | •       |                    | • |                            | •        |
| Hastelloy B                        | G      |                        |        |                                    |      |               |         |                    |   |                            |          |
| Hastelloy C 22                     | J      |                        |        |                                    |      |               |         |                    |   |                            | •        |
| Hastelloy C 276                    | H      |                        | •      |                                    | •    |               |         |                    |   |                            | •        |
| Carpenter 20                       | D      |                        |        |                                    |      |               |         |                    |   |                            |          |
| Monel 400                          | M      |                        |        |                                    |      |               |         |                    |   |                            | •        |
| Inconel 800                        | W      |                        |        |                                    |      |               |         |                    |   |                            |          |
| Nickel                             | N      |                        |        |                                    |      |               |         |                    |   |                            |          |
| PVC                                | V      |                        |        |                                    |      |               |         |                    |   |                            |          |
| Tantalum Clad SS                   | SU     |                        |        |                                    |      |               |         |                    |   |                            |          |
| Halar® Coated SS                   | SH     |                        |        |                                    |      |               |         |                    |   |                            |          |
| Teflon                             | T      |                        |        |                                    |      |               |         |                    |   |                            |          |
| Kynar                              | KY     |                        |        |                                    |      |               |         |                    |   |                            |          |
| Titanium                           | TI     |                        |        |                                    |      |               |         |                    |   |                            |          |
| Pressure Ratings                   |        |                        |        |                                    |      |               |         |                    |   |                            |          |
| 500 psi                            |        |                        |        |                                    |      |               |         |                    |   |                            |          |
| 2500 psi                           |        |                        | 1000   |                                    | 1000 |               | •       |                    |   |                            |          |
| 5000 psi                           | HP     |                        |        |                                    |      |               |         |                    |   |                            |          |
| 7500 psi                           |        |                        |        |                                    |      |               |         |                    |   |                            | •        |
| 15000 psi                          | HP     |                        |        |                                    |      |               |         |                    |   |                            | 400 only |
| Flange Class                       |        |                        |        |                                    |      |               |         |                    |   |                            |          |
| 150, 300, 600, 900 or 1500         |        |                        |        |                                    |      |               |         |                    |   |                            |          |
| Instrument Connection Size         |        |                        |        |                                    |      |               |         |                    |   |                            |          |
| 1/4                                | 02T    |                        | •      |                                    | •    |               | •       |                    | • |                            | •        |
| 1/2                                | 04T    |                        | •      |                                    | •    |               | 2" only |                    | • |                            | •        |
| Filling Fluid                      |        |                        |        |                                    |      |               |         |                    |   |                            |          |
| Glycerin                           | CG     |                        | •      |                                    | •    |               | •       |                    | • |                            | •        |
| Silicone (direct to 10' capillary) | CK     |                        | •      |                                    | •    |               | •       |                    | • |                            | •        |
| Silicone (over 10' capillary)      | EJ     |                        | •      |                                    | •    |               | •       |                    | • |                            | •        |
| Halocarbon                         | CF     |                        | •      |                                    | •    |               | •       |                    | • |                            | •        |
| Syltherm                           | HA     |                        | •      |                                    | •    |               | •       |                    | • |                            | •        |

Refer to page nos.  
for style configuration

148

148

145

147

146

Consult factory for guidance in product selection  
Phone (203) 385-0217, Fax (203) 385-0602 or  
visit our web site at [www.ashcroft.com](http://www.ashcroft.com)

## Specification Matrix

Ashcroft Diaphragm Seals & Pressure Instrument Isolators

• = AVAILABLE



| Process Connection Type              |             | Raised Face Flange<br>(*Flushing Conn.) | Threaded<br>(*Flushing Conn.) | Low Pressure Flanged<br>(*w/Flushing Conn.) | Low Pressure Threaded<br>(*w/Flushing Conn.) |
|--------------------------------------|-------------|---|-------------------------------|---|--|
| Model No.                            | Code        | 402/403*                                | 500/501*                      | 702/703*                                    | 740/741*                                     |
| <b>Process Connection Size (NPT)</b> |             |   |                               |   |  |
|                                      | Female Male |   |                               |   |  |
| 1/4                                  | 25 02       |   |                               |   | •  |
| 1/2                                  | 50 04       | •                                       | •                             | •   | •  |
| 3/4                                  | 75 06       | •                                       | •                             | •   | •  |
| 1                                    | 10 08       | •                                       | •                             | •   | •  |
| 1 1/2                                | 15          | •                                       |                               | •   |  |
| 2                                    | 20          | •                                       |                               | •   |  |
| 3                                    | 30          | •                                       |                               | •   |  |
| 4                                    | 40          |   |                               |   |  |
| 6                                    | 60          |   |                               |   |  |
| 8                                    | 80          |   |                               |   |  |
| <b>Diaphragm Materials</b>           |             |   |                               |   |  |
| 316L stainless steel                 | S           | •                                       | •                             | •   | •  |
| 304L stainless steel                 | C           |   |                               |   |  |
| K-Monel                              | P           | •                                       | •                             | •   | •  |
| Nickel                               | N           |   |                               |   |  |
| Carpenter 20                         | D           |   |                               |   |  |
| Tantalum                             | U           | •                                       | •                             | •   | •  |
| Hastelloy B                          | G           |   | •                             | •   | •  |
| Hastelloy C 22                       | J           | •                                       | •                             |   |  |
| Hastelloy C 276                      | H           | •                                       | •                             | •   | •  |
| Teflon                               | T           |   |                               |   |  |
| Viton                                | Y           |   |                               |   |  |
| Kalrez                               | K           |   |                               |   |  |
| Titanium                             | TI          |   | •                             | •   | •  |
| Halar Coated Monel                   | PH          |   |                               |   |  |
| <b>Bottom Housing Materials</b>      |             |   |                               |   |  |
| Steel                                | B           |   | •                             |   | •  |
| 304L stainless steel                 | CL          |   |                               |   |  |
| 316L stainless steel                 | SL          | •                                       | •                             | •   | •  |
| Hastelloy B                          | G           |   |                               | •   | •  |
| Hastelloy C 22                       | J           | •                                       | •                             |   |  |
| Hastelloy C 276                      | H           | •                                       | •                             | •   | •  |
| Carpenter 20                         | D           |   |                               | •   | •  |
| Monel 400                            | M           | •                                       | •                             | •   | •  |
| Inconel 800                          | W           |   |                               |   |  |
| Nickel                               | N           |   |                               |   |  |
| PVC                                  | V           |   |                               |   |  |
| Tantalum clad stainless steel        | SU          |   |                               |   |  |
| Halar® coated stainless steel        | SH          |   |                               |   |  |
| Teflon                               | T           |   |                               |   |  |
| Kynar                                | KY          |   |                               |   |  |
| Titanium                             | TI          |   | •                             | •   | •  |
| <b>Pressure Ratings</b>              |             |   |                               |   |  |
| 500 psi                              |             |   | •                             | 750   | 750  |
| 2500 psi                             |             |   |                               |   |  |
| 5000 psi                             | HP          |   |                               |   |  |
| 7500 psi                             |             |   |                               |   |  |
| 15000 psi                            | HP          |   |                               |   |  |
| <b>Flange Class</b>                  |             |   |                               |   |  |
| 150, 300, 600, 900 or 1500           |             | •                                       |                               | 150-600                                     |  |
| <b>Instrument Connection Size</b>    |             |   |                               |   |  |
| 1/4                                  | 02T         | •                                       | •                             | •   | •  |
| 1/2                                  | 04T         | •                                       | •                             | •   | •  |
| <b>Filling Fluid</b>                 |             |   |                               |   |  |
| Glycerin                             | CG          | •                                       | •                             | •   | •  |
| Silicone (direct to 10' capillary)   | CK          | •                                       | •                             | •   | •  |
| Silicone (over 10' capillary)        | EJ          | •                                       | •                             | •   | •  |
| Halocarbon                           | CF          | •                                       | •                             | •   | •  |
| Syltherm                             | HA          | •                                       | •                             | •   | •  |

Refer to page nos.

141/142/143 & 156/157/158

152

152

Consult factory for guidance in product selection  
Phone (203) 385-0217, Fax (203) 385-0602 or  
visit our web site at [www.ashcroft.com](http://www.ashcroft.com)